






McKinsey & Company

Productivity drivers in Automotive SW development

Numetrics R&D Analytics






- **Growing importance of SW in automotive**
 - Insights on SW R&D productivity in Automotive
 - Introduction to Numetrics R&D analytics
 - Numetrics' offering and engagement models
 - Appendix

The shift from “hardware performance” to “software experience” will continue at full speed





Trend	Description	Impact on importance of software
<p data-bbox="37 308 497 343">Luxury feature proliferation</p> 	<ul data-bbox="525 308 1313 539" style="list-style-type: none"> ▪ The share of premium cars in the compact class has been rising in recent years ▪ New premium compact cars like the Audi A1 come with a full infotainment offer like mid-range cars ▪ More and more premium features are being included in entry level models 	<ul data-bbox="1331 308 1810 581" style="list-style-type: none"> ▪ SW enabled features become more and more mainstream ▪ Advanced SW features are needed to maintain a low-cost differentiation for premium cars
<p data-bbox="37 609 497 644">Electric vehicle</p> 	<ul data-bbox="525 609 1313 847" style="list-style-type: none"> ▪ Share of EV¹ could reach 50% of sales by 2030, depending on regulatory factors, lower battery costs, range and charging station availability ▪ Several countries are providing incentives and deploying EV charging infrastructure to drive adoption 	<ul data-bbox="1331 609 1810 805" style="list-style-type: none"> ▪ Increase of interconnected electronic components (e.g. battery control unit) and the complexity of software needed to manage them
<p data-bbox="37 944 497 1021">Autonomous and connected cars</p> 	<ul data-bbox="525 944 1313 1218" style="list-style-type: none"> ▪ Several players are developing autonomous cars ▪ The level of driverless features such as self-parking and automatic braking are continuously increasing ▪ The number of networked cars will rise 30 percent a year for the next several years; by 2020, one in five cars will be connected to the Internet 	<ul data-bbox="1331 944 1810 1099" style="list-style-type: none"> ▪ Software is taking over some of the mission-critical functions and will eventually replace human drivers

¹ Electrified Vehicles, including hybrid, plug-in, battery electric, and fuel cell

With increasing functionality driven by SW, quality issues become a major concern and have significant impact

	Issue	Impact
	<ul style="list-style-type: none"> SW security flaw made cars vulnerable to hackers SW incompatibility between EV control unit and battery control module may cause propulsion system to shut down 	<ul style="list-style-type: none"> Recall of ~1.4M cars Recall of ~5,600 Electric Vehicles
	<ul style="list-style-type: none"> SW flaw may cause the hybrid system to shut down while driving SW flaw may cause VSC, ABS and traction control functions to shut down 	<ul style="list-style-type: none"> Recall of 1.9M hybrid cars Recall of ~260,000 Vehicles
	<ul style="list-style-type: none"> Flaw in the continuously variable automatic transmission software may subject the drive pulley shaft to high stress Cell voltage sensor incorrectly interprets electrical noise and may cause a sudden loss of power 	<ul style="list-style-type: none"> Recall of 143,000 cars in the US Voluntarily recall of 6,786 hybrid cars
	<ul style="list-style-type: none"> SW flaw may cause vehicle doors to be unlatched Flaw in the anti-lock braking system may disable stability and control safety systems 	<ul style="list-style-type: none"> Recall of 65,000 cars Recall of 2,687 SUVs
	<ul style="list-style-type: none"> Flaw in engine control unit SW may cause engine to stop while stopping at a traffic light 	<ul style="list-style-type: none"> Recall of ~3,000 cars

Schedule slips due to SW complexity and inaccurate project plans can also impact revenues and market position

Issue	Impact
	<ul style="list-style-type: none"> ▪ The integration of Apple Carplay, which should be included in Hyundai Sonata is delayed more than two years, due to integration problems. The features were announced as a major selling point in 2013/2014
	<ul style="list-style-type: none"> ▪ General Motors delayed its launch of the Super Cruise semi-autonomous driving feature that would have debuted on Cadillac CT6 ▪ Specific reasons were not announced, however it may include problems regarding combination of software / hardware
	<ul style="list-style-type: none"> ▪ In 2015, new Jeep Renegades have not been given to dealers as planned due to software problems ▪ The launch of the Jeep Cherokee had to be put off for several months due to the software that controlled its nine-speed automatic transmission and all-wheel-drive system
	<ul style="list-style-type: none"> ▪ Audi has postponed by one year the introduction of the A8 luxury sedan in order to make it the brand's first car capable of autonomous operation

Tier 1 automotive suppliers face common challenges in software development

NOT EXHAUSTIVE

What SW is developed?

- **Connected car and electrification** trends broadening scope of software far beyond basic firmware and critical system integration
- **Constantly evolving / unclear requirements** from OEMs and marketing causing significant churn

How is SW developed?

- Using **processes largely tailored to HW with nascent SW development and integration processes** and synchronization milestones in place
- Using complex software and verification tools which leads to **quality issues** due to lag of verification/validation processes in place
- Increasing collaboration with 3rd party content / platform providers, OEMs and emerging cloud / OTA applications fosters **integration challenges**
- With a **low level of re-use** because of **limited platform-driven architecture**, knowledge sharing and centralized SW management

Where is SW developed?

- **Software development teams** largely based in traditional HW development centers where SW talent is not readily available
- **Increasing use of outsourced** SW vendors in China, India and eastern EU

How is SW development enabled ?

- Strong **“get it done” mindset** limits focus on creating robust processes, practices and tools
- Limited automated and mandatory **tracking of main SW quality KPI's** (e.g., test coverage) for all projects
- **Culture and work environments** not suited to attracting and retaining the best SW developers


Contents

- Growing importance of SW in automotive
- **Insights on SW R&D productivity in Automotive**
- Introduction to Numetrics R&D analytics
- Numetrics' offering and engagement models
- Appendix

Analysis of productivity drivers and trends have revealed several insights into Automotive software development

- 1 There is an **unsustainable, widening gap between automotive projects' complexity and R&D productivity** levels
- 2 There is a significant **gap between automotive top and bottom performers** in productivity, development throughput and released quality
- 3 **Requirements, specifications and test plans are more granular in automotive** compared to industry
- 4 Outgoing automotive **SW quality is strongly affected by requirements stability**, especially for mission-critical applications
- 5 Number of **defects found during development is a strong leading indicator of outgoing automotive SW quality**
- 6 **Reuse improves quality**, especially in mission-critical applications, **but only when it exceeds a threshold**
- 7 Projects with **low reuse leverage (<30%) are also likely to suffer from significant schedule slips**
- 8 **Platform maturity impacts automotive productivity**, and mission-critical especially, **more than non-auto productivity**
- 9 **Fragmentation of automotive SW teams can negatively impact development productivity**

1 There is an unsustainable, widening gap between complexity and productivity levels that needs to be addressed




— Infotainment
— Mission critical
— Industry

- Over the past 10 years for automotive:
 - **Productivity**, and especially infotainment has grown **slower** than the industry
 - **Complexity**, and especially mission-critical has grown **faster** than the industry
- The result is a **widening gap between complexity and productivity** levels, that is likely to **result in performance and schedule challenges**





2 There is a significant gap between automotive top and bottom performers in productivity, development throughput and quality

Average indexed to 100



¹ Known residual defects per new lines of code, at release

3 Requirement specifications and test plans are more granular in automotive compared to industry




- There are **more new test case per LOC in automotive SW** Vs. non-auto
- Infotainment may introduce more feature diversity, **requiring even more new test cases**
- Automotive SW **requirements are specified at a more granular level**, requiring fewer LoC to implement
- Higher level of granularity can improve coding speed but **also increases the need for requirement & test traceability**



¹ LOC – Line of Code

4 Outgoing automotive SW quality is strongly affected by requirements stability, especially for mission-critical applications




- Infotainment
- Mission-critical
- Non-auto



- Spec changes have a larger impact on the known defects at release Vs. non-auto, especially in mission critical applications
- Impact of specification changes is higher in automotive probably due to the granularity level and complexity of requirements
- Disciplined requirements change management is a key to improving auto SW quality

¹ Includes: additions, modification and removal of features

5 Number of defects found during development is a strong leading indicator of outgoing automotive SW quality




- Design defect density (DDD) is a strong leading indicator of released software quality
- Automotive, and especially mission-critical SW seem to be doing a better job than average in finding and fixing in-development defects
- A likely reason for this difference is the higher level granularity of requirements and test cases in automotive compared to other industries

1 Known defects at release

2 Defects found during development

3 LOC – Line of Code

6 Reuse improves quality, especially in mission-critical applications, but only when it exceeds a threshold




- Increased reuse is more impactful for mission critical, compared to infotainment and non-auto applications
- Reuse below ~20% has minimal quality impact for infotainment and actually introduces more defects for mission critical applications
- Infotainment has low reuse levels with ~25% of projects below 10% reuse level
- Mission critical has higher reuse, which improves quality significantly

1 Defects found post release

2 Reuse leverage is a normalized metrics representing the effort saved due to reusing code and test cases


7 Projects with low reuse leverage (<30%) are also very likely to suffer from significant schedule slips



- Reuse leverage of below 30% is highly associated with increasing probability of schedule slip with up to 100% slip for no reuse
- Marginal impact of reuse on schedule slip diminishes as reuse level increases
- Brand new automotive projects are very likely to be underestimated for duration

¹ Reuse leverage is a normalized metrics representing the effort saved due to reusing code and test cases

8 Platform maturity impacts automotive productivity, and mission-critical especially, more than non-auto productivity




Available & Proven
Prototype-only
Not Available



- Automotive SW productivity is more strongly impacted by hardware maturity than the rest of the industry
- Automotive, and specially mission-critical productivity are impacted much more by prototype or non-available HW
- Potential reasons could include developing more HW specific code in automotive Vs. using APIs in non-auto, level of late stage HW spec changes and availability of HW simulators and testing tools

9 Fragmentation of automotive SW teams can negatively impact development productivity



- Separating automotive SW development across multiple sites introduces inefficiencies and can reduce overall productivity
- Biggest productivity drop¹ of ~11% when introducing a second site, with lower impact from additional sites

¹ Productivity drop is partially due to a larger team size which is correlated with multiple R&D locations

Contents

- Growing importance of SW in automotive
- Insights on SW R&D productivity in Automotive
- **Introduction to Numetrics R&D analytics**
- Numetrics' offering and engagement models
- Appendix

Numetrics is a SaaS-based analytics solution that enables rapid improvements in embedded SW and IC development




Proven complexity measurement method

Large industry database of peer projects

Established analytics platform

Proprietary complexity algorithm successfully applied in **>400** companies



- 2,000+** IC projects
- 1,700+** software projects
- 40+** industry segments
- 50+** operating systems
- 20+** programming languages


Industry Benchmarking




Project Planning & Estimation



Root Cause Analysis / Productivity Diagnosis



Portfolio & Resource Planning



Numetrics' analytics engine is based on a proprietary “design complexity” model that normalizes productivity across projects


Design/development complexity:

- A metric representing the total amount of project effort the average design/development team in the industry would expend on the project – quantifies the true, normalized output of the design team
- The complexity model fully takes into account the stochastic nature of product development, which enables the predictive analytics engines to reliably estimate schedule & resource requirements and perform meaningful comparisons of performance metrics across different projects/designs

Complexity inputs

Software Complexity Measures

- Customer requirements
- Functional requirements
- Test cases
- Use cases
- Test types
- Lines of Code
- Architectural layers
- Number/type of components
- Reuse
- Programming language(s)
- Number of variants
- Real-time content
- Available storage space
- Number of platforms
- Platform maturity



Numetrics offers performance benchmarking, root cause analysis and project planning (predictive analytics)

What is Numetrics?

SaaS-based R&D predictive analytics platform based on a **patented complexity algorithm** to provide:



Performance benchmarking



Root cause analysis



Project planning

Where can Numetrics be applied?

- **Software (Embedded and application):**
 - **Verticals:** Automotive, Telecom, Financial, Medical devices, Industrial controls, Aerospace & Defense, etc.
 - **OS':** Android, IOS, Linux, Microsoft, Wind River, TI, etc.
 - **Platforms:** ARM, MIPS, Broadcom, Freescale, IBM, Microchip, Renesas, Samsung
- **Semiconductors (ICs):** Across segments, including Analog, Mixed signal, Memory, SOC, FPGA, IP, RF


Performance benchmarking – Creates a productivity baseline to enable internal and industry benchmarking

Performance benchmarking

Create a project-level productivity baseline based on recent projects, and benchmark across multiple dimensions against a database of ~2,000 IC and 1,600+ SW projects


Sample outputs

Project duration Vs. Design complexity



■ Industry peers ■ Client projects

Productivity Vs. Team size




Performance benchmarking – Wide range of metrics can be benchmarked


NOT EXHAUSTIVE

■ Client Software Projects ■ Band containing 50% of industry peers


How fast can we deliver SW?




How many people do we need?



How efficient are we?




Is our verification strategy effective?



How granular are our requirements?



How cost competitive are we?




Root cause analysis – Analyzes industry database (best practices) to identify likely causes of low productivity

Root cause analysis


Use analytic tools to find root causes and drivers of low performance, and compare to industry best practices to determine recommended course of action

Sample outputs

Poor spec stability caused significant schedule slip



Insufficient effort during design phase caused higher test effort



Project planning – Predictive analytics generates robust project plans (resources, schedule) to identify time-to-market risks




Project planning and risk assessment


Use predictive analytics to provide better transparency to schedule and required resources at the project's outset and assess schedule risk due to unrealistic productivity assumptions

Sample outputs

Predicted staffing requirements by role and project phase




Schedule risk due to unrealistic productivity assumption




Project planning – predictive analytics is used to optimize schedule and staffing at the project and portfolio levels

“What-if” scenarios to determine tradeoffs and optimize the plan



- Planned staffing plan is plotted against the predicted resource requirements to identify gaps
- “What-if” scenarios can be run to better understand tradeoffs between specifications, resources, budget and timeline, and to determine the optimal plan for the project

Analytics on required staffing and available resources across multiple projects



- Estimated staffing requirements by role and project phase across multiple projects is compared to available resources
- Resource gaps and bottlenecks are identified early on with plenty of time to adjust staffing levels, modify scope or reprioritize projects

Contents

- Growing importance of SW in automotive
- Insights on SW R&D productivity in Automotive
- Introduction to Numetrics R&D analytics
- **Numetrics' offering and engagement models**
- Appendix


Numetrics analytics enables step-function improvement in R&D productivity and time-to-market performance

■ Before analytics ■ After analytics

How can I get more out of my R&D spend as complexity increases?




R&D capacity¹



How can I improve time to market and increase visibility across the product road map?



Reduction in schedule slip² (TTM)




¹ R&D Capacity is measured as “complexity units per person-week”
² Schedule Slip is the amount of schedule overrun, expressed as a % of the original schedule.
(e.g. if a 100-week project slips 12 weeks, then schedule slip = 12%)


There are several ways to engage Numetrics

	<u>Scope</u>	<u>Engagement model</u>
Analytics focused diagnostic	<ul style="list-style-type: none"> 4-6 week (depending on data availability), Numetrics led diagnostic Standalone analytic assessment of 5-7 completed projects Provides a productivity baseline , industry benchmarks and analytic root cause analysis 	<ul style="list-style-type: none"> Numetrics team handles data entry, validation, analyses, and reports Client collects required project data under Numetrics' guidance and support
Deep R&D diagnostic	<ul style="list-style-type: none"> 8-10 weeks deep diagnostic, combining analytic and qualitative analyses Includes analytics focused diagnostic, complemented by qualitative tools such as surveys, project deconstruction, process mapping, interviews and workshops to provide a complete view of productivity and performance drivers May include planning of a new project to determine required resources and schedule risk 	<ul style="list-style-type: none"> Numetrics team handles data entries, validation, analyses, tailored benchmarking and reports Client collects required project data with Numetrics' guidance
Subscription	<ul style="list-style-type: none"> Embed Numetrics planning tool in the standard PD process to continuously track performance Use predictive analytics to increase TTM transparency and optimize resource allocation Includes initial benchmark and baseline creation and access to the planning tool 	<ul style="list-style-type: none"> Client trained to input project data and run reports directly using the web interface Numetrics team runs the analyses and provides insights


Benchmarking and root cause analysis require project data and timelines of several completed projects




Numetrics' predictive analytics can help optimize project planning and timely execution



Schedule & Resource Estimation



Schedule Risk Analysis



¹ Measured in Complexity Units - A metric reflecting the amount of effort the average development team will spend on the project

Who to contact to get started?



Prasad Kunal
Director, Client Development
prasad_kunal@mckinsey.com



Mike Fogerty
Head of Client Development
Mike_fogerty@mckinsey.com



Ori Ben-Moshe
General Manager
ori_ben-moshe@mckinsey.com



Aaron Aboagye
Principal
aaron_aboagye@mckinsey.com

Contents

- Growing importance of SW in automotive
- Insights on SW R&D productivity in Automotive
- Introduction to Numetrics R&D analytics
- Numetrics' offering and engagement models
- **Appendix**

The Numetrics database holds 200+ automotive projects

Project database statistics

- 200+ (out of 1,600+ total) automotive SW projects from 20+ companies
- Applications include:
 - Infotainment systems
 - Mission critical systems such as:
 - Body & convenience systems
 - Powertrain
 - Chassis & safety
- Spans drivers, operating system, middleware and UI/application layers
- Team Sizes from 2 to >70 full-time equivalents
- Recent data (<3-4 years)



Sample descriptions of automotive projects

- “Two corner rear leveling of automotive suspension system”
- “Firmware which aligns steered axles after these are steered for maneuvering”
- “PID control of 4-wheel independent steering”
- “I/O drivers for a powertrain control module”
- “Car Navigation system software with dynamic Traffic-based Route Guidance and Visualization on a graphical map”
- “GPS-based timing and data acquisition”
- “Car radio tuner both frequency and digital tuning capable.”
- “Battery monitoring and management software for hybrid vehicle power systems”
- “Automotive steering angle sensor and LIN switch gateway”
- “Powertrain Engine Controller software platform”
- “Emergency call and pay-as-you-drive capabilities.”

Numetrics is a well-established company with a field proven sets of solutions

1998

Launch of semiconductor benchmarking solution

2001

Launch of semiconductor predictive planning solutions

2004

First embedded SW complexity model

2006

Launch of embedded SW predictive planning solution

2010

First 1,000 SW projects released in industry database

2013

Numetrics acquired by McKinsey

- Extensive database of ~2000 IC and ~1600 SW projects
- Field proven complexity estimation and predictive analytics algorithms
- Wide industry coverage including automotive, aerospace & defense, high tech, financial services, medical, etc.